

INSTRUMENT
APPROACH
CHART- ICAO

DOHA/Hamad Intl.(OTHH)
ILS RWY 34L CAT II & III
ACFT CAT A B C D

AERONAUTICAL DATA TABULATION

TABULAR DESCRIPTION

ILS approach to RWY34L from IMKAT (IF)

Serial Num	Path Descriptor	Waypoint Identifier	Fly-over	Course °M(°T)	Recom. Navaid	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt)	VPA(°)/ TCH(ft)	Navigation Specification
1	IF	IMKAT	-	-	-	-	-	+3500	-220	-	-
2	CF	PASID	-	336 (338.2)	HJJ	3.9	-	-	-	-	-
3	CF	HH811	-	336 (338.2)	HJJ	3.2	-	@2500	-	-	-
4	CF	THR 34L	-	336 (338.2)	HJJ	7.6	-	-	-	-3.00 / 53	-
5	TF	GOLSI	-	336 (338.2)	-	16.6	-	@3000	-	-	RNP 1
6	FM	GOLSI	-	336 (338.2)	-	-	-	-	-	-	RNP 1

Waypoint & Fix/Point list

Waypoint/Fix/Point	Coordinates
IMKAT (IF) - BRG 335.57° / 14.89 NM HJJ	250138.57N 0514220.38E
PASID - BRG 335.57° / 11.00 NM HJJ	250515.69N 0514045.07E
HH811 (FAF) - BRG 335.57° / 7.84 NM HJJ	250812.13N 0513927.55E
Final approach descent angle (LOC Only) - 3.00°	-
HJJ 1.2D (MAPt LOC Only) - BRG 335.57° / 1.20 NM HJJ	251423.39N 0513644.20E
GOLSI (MATF)	253047.17N 0512929.86E